

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1169	inter with intra with(select\$4 or adaptiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 14:16
L2	16511	(wavelet or subband\$2 or sub-band\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 14:10
L3	5	1 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 11:28
L4	3	1 with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 11:36
L5	10701	382/240,243,236,239,238,244, 250-253,276,162,166-167;358/426. 02-426.11;348/400.1-421.1;341/51, 79;375/240.1,240.03,240.11-240. 13,240.16,240.18-240.19,240.24. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 11:46
L6	344	5 and inter with intra with(select\$4 or adaptiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 11:46
L7	1596	5 and(wavelet or subband\$2 or sub-band\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 11:47
L8	35	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 13:15
L9	14	8 and scen\$2 near3 chang\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:49

L10	18037	(wavelet or subband\$2 or sub-band\$2 or block-based or segment-based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:51
L11	260	10 and (pyramid\$5 near3 (cod\$3 or encod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 14:26
L12	50	11 and(down adj1 sampl\$3 or down-sampl\$3 or downsampl\$3) and (up-sampl\$3 or upsampl\$3 or up adj1 sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:50
L13	3	12 and (((inter with intra with(select\$4 or adaptiv\$4)) or (intra-inter near3 (decision or select\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 14:27
L14	848	10 and pyramid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:51
L15	94	14 and(down adj1 sampl\$3 or down-sampl\$3 or downsampl\$3) and (up-sampl\$3 or upsampl\$3 or up adj1 sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:02
L16	3	15 and (((inter with intra with(select\$4 or adaptiv\$4)) or (intra-inter near3 (decision or select\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:50
L17	2	12 and scen\$2 near3 chang\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:03
L18	2	"6477279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:02
L19	0	18 and scen\$2 near3 chang\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:52

L20	0	18 and scen\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:03
L21	470	382/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:49
L22	11	21 and ((inter with intra with(select\$4 or adaptiv\$4)) or (intra-inter near3 (decision or select\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:50
L23	0	22 and(down adj1 sampl\$3 or down-sampl\$3 or downsampl\$3) and (up-sampl\$3 or upsampl\$3 or up adj1 sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:50
L24	0	22 and pyramid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:51
L25	1	22 and(wavelet or subband\$2 or sub-band\$2 or block-based or segment-based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:52
L26	1	22 and scen\$2 near3 chang\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 16:03
L27	0	"57706220".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 16:03
L28	2	"5706220".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 17:35
L29	31	prakash-adityo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 17:35

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


» Adva

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**[Help](#)

- 1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)
- 2) Limit your search by using search operators and field codes, if desired.
Example: optical <and> (fiber <or> fibre) <in> ti
- 3) Limit the results by selecting Search Options.
- 4) Click Search. See [Search Examples](#)

 inter<near/3>intra and
 predictive <near/3> difference

Start Search

Clear

Note: This function returns plural and suffixed forms of the keyword(s).

 Search operators: <and> <or> <not> <in> [More](#)

 Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

Search Options:

Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

 From year: to

Organize search results by:

Sort by: In: orderList Results per page
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


» Se

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)

Quick Links

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Your search matched **0** of **1097671** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering new one in the text box.

inter<near/3>intra and double <near/3> difference

Search

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:

No documents matched your query.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

Welcome
United States Patent and Trademark Office

>> Search

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **1** of **1097671** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard**1 A method of de-interlacing with motion compensated interpolation***Sugiyama, K.; Nakamura, H.;*Consumer Electronics, IEEE Transactions on , Volume: 45 , Issue: 3 , Aug. 19
Pages:611 - 616[\[Abstract\]](#)[\[PDF Full-Text \(360 KB\)\]](#)**IEEE JNL**

Print Format

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved